

References

- Abassi, N. A., Kushad, M. M., and Endress, A. G. (1998). Active oxygen-scavenging enzymes activities in developing apple flowers and fruits. *Scientia Horticulturae* **74**, 183-194.
- Abu-Goukh, A. B. A., and Bashir, H. A. (2003). Changes in pectic enzymes and cellulase activity during guava fruit ripening. *Food Chemistry* **83**, 213-218.
- Adamson, G. E., Lazarus, S. A., Mitchell, A. E., Prior, R. L., Cao, G., Jacobs, P. H., Kremers, B. G., Hammerstone, J. F., Rucker, R. B., Ritter, K. A., and Schmitz, H. H. (1999). HPLC Method for the Quantification of Procyanidins in Cocoa and Chocolate Samples and Correlation to Total Antioxidant Capacity. *Journal of Agricultural and Food Chemistry* **47**, 4184-4188.
- Adao, R. C., and Gloria, M. B. A. (2005). Bioactive amines and carbohydrate changes during ripening of 'Prata' banana (*Musa acuminata* x *M. balbisiana*). *Food Chemistry* **90**, 705-711.
- Aherne, S. A., and O'Brien, N. M. (2002). Dietary flavonols: Chemistry, food content, and metabolism. *Nutrition* **18**, 75-81.
- Ahrens, M. J., and Huber, D. J. (1990). Physiology and firmness determination of ripening tomato fruit. *Physiologia Plantarum* **78**, 8-14.
- Aina, J. O., and Oladunjoye, O. O. (1993). Respiration, pectolytic activity and textural changes in ripening African mango (*Irvingia gabonensis*) fruits. *Journal of the Science of Food and Agriculture* **63**, 451-454.
- Akerstrom, B., Maghzal, G. J., Winterbourn, C. C., and Kettle, A. J. (2007). The lipocalin α 1-microglobulin has radical scavenging activity. *Journal of Biological Chemistry* **282**, 31493-31503.
- Almeida, D. P. F., and Huber, D. J. (1999). Apoplastic pH and inorganic ion levels in tomato fruit: A potential means for regulation of cell wall metabolism during ripening. *Physiologia Plantarum* **105**, 506-512.
- Arakawa, O., Hori, Y., and Ogata, R. (1986). Characteristics of color development and relationship between anthocyanin synthesis and phenylalanine ammonia-lyase activity in 'Starking Delicious', 'Fuji' and 'Mutsu' apple fruits. *Journal of the Japanese Society for Horticultural Science* **54**, 424-430.
- Arts, I. C., and Hollman, P. C. (2005). Polyphenols and disease risk in epidemiologic studies. *The American journal of clinical nutrition* **81**, 317S-325S.
- Asada, K. (1999). The water-water cycle in chloroplasts: Scavenging of active oxygens and dissipation of excess photons. *Annual Review of Plant Biology* **50**, 601-639.
- Assis, J. S., Maldonado, R., Munoz, T., Escribano, M. I., and Merodio, C. (2001). Effect of high carbon dioxide concentration on PAL activity and phenolic contents in ripening cherimoya fruit. *Postharvest Biology and Technology* **23**, 33-39.

- Ayala-Zavala, J. F., Wang, S. Y., Wang, C. Y., and Gonzalez-Aguilar, G. A. (2004). Effect of storage temperatures on antioxidant capacity and aroma compounds in strawberry fruit. *LWT - Food Science and Technology* **37**, 687-695.
- Ayaz, F. A., Demir, O., Torun, H., Kolcuoglu, Y., and Colak, A. (2008). Characterization of polyphenoloxidase (PPO) and total phenolic contents in medlar (*Mespilus germanica* L.) fruit during ripening and over ripening. *Food Chemistry* **106**, 291-298.
- Aydin, N., and Kadioglu, A. (2001). Changes in the chemical composition, polyphenol oxidase and peroxidase activities during development and ripening of medlar fruits (*Mespilus germanica* L.). *Bulgarian Journal of Plant Physiology* **27**, 85-92.
- Bartolomé, A. P., Rupérez, P., and Fúster, C. (1995). Pineapple fruit: morphological characteristics, chemical composition and sensory analysis of red Spanish and smooth Cayenne cultivars. *Food Chemistry* **53**, 75-79.
- Bashir, H. A., and Abu-Goukh, A. B. A. (2003). Compositional changes during guava fruit ripening. *Food Chemistry* **80**, 557-563.
- Beaudry, R. M., Severson, R. F., Black, C. C., and Kays, S. J. (1989). Banana ripening: Implications of changes in glycolytic intermediate concentrations, glycolytic and gluconeogenic carbon flux, and fructose 2,6-bisphosphate concentration. *Plant Physiology* **91**, 1436-1444.
- Begum, S. A., Rahim, M. A., Haider, M. A., and Kader, M. A. (2002). Shelf life of ten guava varieties under different post harvest treatments in on season. *Pakistan Journal of Biological Sciences* **5**, 1176-1180.
- Belitz, H. D., and Grosch, W. (1987). Vegetables and their products. *Food Chemistry*, 549-576.
- Benzie, I. F. F., and Szeto, Y. T. (1999). Total antioxidant capacity of teas by the ferric reducing/antioxidant power assay. *Journal of Agricultural and Food Chemistry* **47**, 633-636.
- Bernardino-Nicanor, A., Scilingo, A. A., Añón, M. C., and Dávila-Ortíz, G. (2006). Guava seed storage protein: Fractionation and characterization. *LWT - Food Science and Technology* **39**, 902-910.
- Bhattarai, D. R., and Gautam, D. M. (2006). Effect of harvesting method and calcium on post harvest physiology of tomato. *Nepal Agricultural Research Journal*, **7**, 37-41.
- Biale, J. B. (1960). The post harvest biochemistry of fruits and vegetables. *Advances in Food Research* **10**, 293-354.
- Biglari, F., AlKarkhi, A. F. M., and Easa, A. M. (2008). Antioxidant activity and phenolic content of various date palm (*Phoenix dactylifera*) fruits from Iran. *Food Chemistry* **107**, 1636-1641.
- Blois, M. S. (1958). Antioxidant determinations by the use of a stable free radical [10]. *Nature* **181**, 1199-1200.

- Bollard, E. G. (1970). The physiology and nutrition of developing fruit. *In the Biochemistry of Fruits and their Products*. (Ed. Hulme, A. C.), 387-425 (Academic Press: London).
- Bradford, M. M. (1976). A rapid and sensitive method for the quantification of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry* **34**, 1345-1353.
- Brady, C. J. (1987). Fruit ripening. *Annual Review of Plant Physiology*. **38**, 155-178.
- Brady, C. J., Palmer, J. K., O'Connell, P. B. H., and Smillie, R. M. (1970). An increase in protein synthesis during ripening of the banana fruit. *Phytochemistry* **9**, 1037-1047.
- Brand-Williams, W., Cuvelier, M. E., and Berset, C. (1995). Use of a free radical method to evaluate antioxidant activity. *LWT - Food Science and Technology* **28**, 25-30.
- Brown, B. I., Peacock, B. C., and Wong, L. S. (1984). Physiological, chemical and quality changes in mangoes during postharvest ripening. *Proceedings of the 1st Australian Mango Research Workshop*, 279-289.
- Burdon, J., McLeod, D., Lallu, N., Gamble, J., Petley, M., and Gunson, A. (2004). Consumer evaluation of "Hayward" kiwifruit of different at-harvest dry matter contents. *Postharvest Biology and Technology* **34**, 245-255.
- Burns, J. K., and Albrigo, L. G. (1997). Maintenance and Measurement of Fruit Condition. *Citrus Quality Control Assessment Methodology*, 41-54.
- Cadenas, E., and Davies, K. J. A. (2000). Mitochondrial free radical generation, oxidative stress, and aging. *Free Radical Biology and Medicine* **29**, 222-230.
- Cai, Y., Luo, Q., Sun, M., and Corke, H. (2004). Antioxidant activity and phenolic compounds of 112 traditional Chinese medicinal plants associated with anticancer. *Life Sciences* **74**, 2157-2184.
- Cao, G., Alessio, H. M., and Cutler, R. G. (1993). Oxygen-radical absorbance capacity assay for antioxidants. *Free Radical Biology and Medicine* **14**, 303-311.
- Chahidi, B., El-Otmani, M., Luro, F., Srairi, I., and Tijane, M. (2008). Changes of fruit quality traits in 7 clementine selections during maturation. *Electronic Journal of Environmental, Agricultural and Food Chemistry* **7**, 2565-2577.
- Chan, H. T., Hubbard, K. L., Goo, I., and Akamine, E. K. (1979). Sugar composition of papaya during fruit development. *Agricultural Science* **20**, 226-228.
- Chang, Y. J., Chung, M. Y., Tseng, M. N., Chu, C. C., and Shu, Z. H. (2003). Developmental stages affect characteristics of wax apple fruit skin discs cultured with sucrose - With special reference to color. *Scientia Horticulturae* **98**, 397-407.
- Choi, K., Lee, G., Han, Y. J., and Bunn, J. M. (1995). Tomato maturity evaluation using color image analysis. *Transactions of the American Society of Agricultural Engineers* **38**, 171-176.

- Chun, J. P., and Huber, D. J. (1998). Polygalacturonase-mediated solubilization and depolymerization of pectic polymers in tomato fruit cell walls - Regulation by pH and ionic conditions. *Plant Physiology* **117**, 1293-1299.
- Connor, A. M., Luby, J. J., Hancock, J. F., Berkheimer, S., and Hanson, E. J. (2002). Changes in fruit antioxidant activity among blueberry cultivars during cold-temperature storage. *Journal of Agricultural and Food Chemistry* **50**, 893-898.
- Coombe, B. G. (1976). The development of fleshy fruits. *Annual Review of Plant Physiology* **27**, 507-528.
- Cordenunsi, B. R., Nascimento, J. R. O., and Lajolo, F. M. (2003). Physico-chemical changes related to quality of five strawberry fruit cultivars during cool-storage. *Food Chemistry* **83**, 167-173.
- Corzo, O., and Gomez, E. R. (2004). Optimization of osmotic dehydration of cantaloupe using desired function methodology. *Journal of Food Engineering* **64**, 213-219.
- Crisosto, C. H. (1992). Predicting high quality kiwifruit. *California Grower* **16**, 33-34.
- Crisosto, C. H., Retzlaff, W. A., Williams, L. E., DeJong, T. M., and Zoffoli, J. P. (1993). Postharvest performance evaluation of plum (*Prunus salicina* Lindel., 'Casselman') fruit grown under three ozone concentrations. *Journal of American Society for Agricultural Science* **118**, 497-502.
- Crisosto, G. U., Mitchell, F. G., Arpaia, M. L., and Mayer, G. (1984). The effect of growing location and harvest maturity on the storage performance and quality of 'Hayward' kiwifruit. *Journal of American Society for Agricultural Science* **109**, 584-587.
- Cuyckens, F., and Claeys, M. (2004). Mass spectrometry in the structural analysis of flavonoids. *Journal of Mass Spectrometry* **39**, 1-15.
- Davies, C., Boss, P. K., and Robinson, S. P. (1997). Treatment of grape berries, a nonclimacteric fruit with a synthetic auxin, retards ripening and alters the expression of developmentally regulated genes. *Plant Physiology* **115**, 1155-1161.
- Davies, J. W., and Cocking, E. C. (1967). Protein synthesis in tomato-fruit locule tissue. Incorporation of amino acids into protein by aseptic cell-free systems. *Biochemical Journal* **104**, 23-33.
- de Fekete, M. A. R., and Vieweg, G. H. (1974). On the activity of synthetase and phosphorylase in maize leaves at different starch levels. *Planta* **117**, 83-91.
- Defilippi, B. G., Manriquez, D., Luengwilai, K., and Gonzalez-Aguero, M. (2009). Aroma volatiles. Biosynthesis and mechanisms of modulation during fruit ripening. *Advances in Botanical Research* **50**, 1-37.
- Dennis, F. G. (1986a). Apple. *Handbook of Fruit Set and Development*, 1-44.
- Dennis, F. G. (1986b). Apple, Monselise S P. *Handbook of Fruit Set and Development*, 1-44.

- Diallinas, G., and Kanellis, A. K. (1994). A phenylalanine ammonia-lyase gene from melon fruit: cDNA cloning, sequence and expression in response to development and wounding. *Plant Molecular Biology* **26**, 473-479.
- Diaz-Perez, J. C., Muy-Rangel, M. D., and Mascorro, A. G. (2007). Fruit size and stage of ripeness affect postharvest water loss in bell pepper fruit (*Capsicum annuum* L.). *Journal of the Science of Food and Agriculture* **87**, 68-73.
- Ding, C. K., Chachin, K., Ueda, Y., Imahori, Y., and Wang, C. Y. (2001). Metabolism of phenolic compounds during loquat fruit development. *Journal of Agricultural and Food Chemistry* **49**, 2883-2888.
- Dixon, R. A., and Paiva, N. L. (1995). Stress-induced phenylpropanoid metabolism. *Plant Cell* **7**, 1085-1097.
- Dreosti, I. E. (2000). Antioxidant polyphenols in tea, cocoa, and wine. *Nutrition* **16**, 692-694.
- Dubois, M., Gilles, K. A., Hamilton, J. K., Rebers, P. A., and Smith, F. (1956). Colorimetric method for determination of sugars and related substances. *Analytical Chemistry* **28**, 350-356.
- Dumas, Y., Dadomo, M., Di Lucca, G., and Grolier, P. (2003). Effects of environmental factors and agricultural techniques on antioxidant content of tomatoes. *Journal of the Science of Food and Agriculture* **83**, 369-382.
- El-Otmani, M., Arpaia, M. L., and Coggins Jr, C. W. (1987). Developmental and topophysical effects on the n-alkanes of Valencia orange fruit epicuticular wax. *Journal of Agricultural and Food Chemistry* **35**, 42-46.
- El-Otmani, M., and Coggins Jr, C. W. (1991). Growth regulator effects on retention of quality of stored citrus fruits. *Scientia Horticulturae* **45**, 261-272.
- El-Shora, H. M. (2002). Properties of phenylalanine ammonia-lyase from marrow cotyledons. *Plant Science* **162**, 1-7.
- El Gharras, H. (2009). Polyphenols: Food sources, properties and applications - A review. *International Journal of Food Science and Technology* **44**, 2512-2518.
- Ezhilarasi, A., and Tamilmani, C. (2009). Influence of paddy husk on the ripening of fruit of *Zizyphus mauritiana* Lamk. *ARPJ Journal of Agricultural and Biological Science* **4**, 29-42.
- Faragher, J. D., and Chalmers, D. J. (1977). Regulation of anthocyanin synthesis in apple skin. III. Involvement of phenylalanine ammoniumlyase. *Australian Journal of Plant Physiology* **4**, 123-131.
- Farkas, O., Jakus, J., and Hiberger, K. (2004). Quantitative structure - Antioxidant activity relationships of flavonoid compounds. *Molecules* **9**, 1079-1088.
- Foyer, C. H., Lelandais, M., and Kunert, K. J. (1994). Photooxidative stress in plants. *Physiologia Plantarum* **92**, 696-717.

- Fuchs, Y., Pesis, E., and Zauberman, G. (1980). Changes in amylase activity, starch and sugars contents in mango fruit pulp. *Scientia Horticulturae* **13**, 155-160.
- Gebhardt, S. E., Lemar, L. E., Cutrufelli, R. L., Haytowitz, D. B., Howe, J. C., Pehrsson, P. R., Stup, M. A., Exler, J., Holcomb, G. T., Thomas, R. G., Showell, B. A., and Holden, J. M. (2005). Agricultural Research Service. *USDA National Nutrient Database for Standard Reference, Release No. 18*.
- Gil, M. I., Tomas-Barberan, F. A., Hess-Pierce, B., and Kader, A. A. (2002). Antioxidant capacities, phenolic compounds, carotenoids, and vitamin C contents of Nectarine, Peach, and Plum cultivars from California. *Journal of Agricultural and Food Chemistry* **50**, 4976-4982.
- Given, N. K., Venis, M. A., and Gierson, D. (1988). Hormonal regulation of ripening in the strawberry, a non-climacteric fruit. *Planta* **174**, 402-406.
- Gong, Y., Fan, X., and Mattheis, J. P. (2002). Responses of 'Bing' and 'Rainier' sweet cherries to ethylene and 1-methylcyclopropene. *Journal of the American Society for Horticultural Science* **127**, 831-835.
- Gordon, M. H. (1990). The mechanism of antioxidant action in vitro. In: Food Antioxidants (Hudson B.J.F. ed.). *Elsevier Applied Science London*, 1-18.
- Gu, L., Kelm, M. A., Hammerstone, J. F., Beecher, G., Holden, J., Haytowitz, D., Gebhardt, S., and Prior, R. L. (2004). Concentrations of proanthocyanidins in common foods and estimations of normal consumption. *Journal of Nutrition* **134**, 613-617.
- Guo, C., Yang, J., Wei, J., Li, Y., Xu, J., and Jiang, Y. (2003). Antioxidant activities of peel, pulp and seed fractions of common fruits as determined by FRAP assay. *Nutrition Research* **23**, 1719-1726.
- Haissig, B. E., and Dickson, R. E. (1979). Starch measurement in plant tissue using enzymatic hydrolysis. *Physiologia Plantarum* **47**, 151-157.
- Hakim, A. S., and Panggabean, H. (1992). The tertiary volcanic belts of the west pacific margin, northeastern Indonesia. *Journal of Southeastern Asian* **7**, 258.
- Halliwell, B., and Gutteridge, J. M. C. (1995). The definition and measurement of antioxidants in biological systems. *Free Radical Biology and Medicine* **18**, 125-126.
- Harborne, J. B. (1967a). Comparative biochemistry of the flavonoids-IV. Correlations between chemistry, pollen morphology and systematics in the family plumbaginaceae. *Phytochemistry* **6**, 1415-1428.
- Harborne, J. B. (1967b). Comparative biochemistry of the flavonoids-VI. Flavonoid patterns in the bignoniaceae and the gesneriaceae. *Phytochemistry* **6**, 1643-1651.
- Harborne, J. B., and Williams, C. A. (2000). Advances in flavonoid research since 1992. *Phytochemistry* **55**, 481-504.
- Harpster, M. H., Brummell, D. A., and Dunsmuir, P. (2002). Suppression of a ripening-related endo-1,4- β -glucanase in transgenic pepper fruit does not prevent depolymerization of cell wall polysaccharides during ripening. *Plant Molecular Biology* **50**, 345-355.

- Harpster, M. H., Lee, K. Y., and Dunsmuir, P. (1997). Isolation and characterization of a gene encoding endo-1,4-glucanase from pepper (*Capsicum annuum* L.). *Plant Molecular Biology* **33**, 47-59.
- Hatano, T., Miyatake, H., Natsume, M., Osakabe, N., Takizawa, T., Ito, H., and Yoshida, T. (2002). Proanthocyanidin glycosides and related polyphenols from cacao liquor and their antioxidant effects. *Phytochemistry* **59**, 749-758.
- Hodges, D. M., Lester, G. E., Munro, K. D., and Toivonen, P. M. A. (2004). Oxidative stress: Importance for postharvest quality. *HortScience* **39**, 924-929.
- Hoffmann, L., Maury, S. p., Martz, F. o., Geoffroy, P., and Legrand, M. (2003). Purification, cloning, and properties of an acyltransferase controlling shikimate and quinate ester intermediates in phenylpropanoid metabolism. *Journal of Biological Chemistry* **278**, 95-103.
- Holcroft, D. M., and Kader, A. A. (1999). Controlled atmosphere-induced changes in pH and organic acid metabolism may affect color of stored strawberry fruit. *Postharvest Biology and Technology* **17**, 19-32.
- Holland, N., Sala, J. M., Menezes, H. C., and Lafuente, M. T. (1999). Carbohydrate content and metabolism as related to maturity and chilling sensitivity of cv. Fortune mandarins. *Journal of Agricultural and Food Chemistry* **47**, 2513-2518.
- Hollman, P. C. H. (2001). Evidence for health benefits of plant phenols: Local or systemic effects. *Journal of the Science of Food and Agriculture* **81**, 842-852.
- Hollman, P. C. H., and Katan, M. B. (1999). Dietary flavonoids: Intake, Health effects and bioavailability. *Food and Chemical Toxicology* **37**, 937-942.
- Hosseini, F. S., and Mazza, G. (2009). Triticale bran and straw: Potential new sources of phenolic acids, proanthocyanidins, and lignans. *Journal of Functional Foods* **1**, 57-64.
- Hubbard, N. L., and Mason Pharr, D. (1992). Developmental changes in carbohydrate concentration and activities of sucrose metabolizing enzymes in fruits of two *Capsicum annuum* L. genotypes. *Plant Science* **86**, 33-39.
- Hubbard, N. L., Pharr, D. M., and Huber, S. C. (1990). Role of sucrose phosphate synthase in sucrose biosynthesis in ripening bananas and its relationship to the respiratory climacteric. *Plant Physiology* **94**, 201-208.
- Huber, D. J. (1983). The role of cell wall hydrolases in fruit softening. *Horticultural Reviews* **5**, 169-219.
- Huber, D. J., and O'Donoghue, E. M. (1993). Polyuronides in avocado (*Persea americana*) and tomato (*Lycopersicon esculentum*) fruits exhibit markedly different patterns of molecular weight downshifts during ripening. *Plant Physiology* **102**, 473-480.
- Hurtado, N. H., Morales, A. L., Gonzalez-Miret, M. L., Escudero-Gilete, M. L., and Heredia, F. J. (2009). Colour, pH stability and antioxidant activity of anthocyanin rutinosides isolated from tamarillo fruit (*Solanum betaceum* Cav.). *Food Chemistry* **117**, 88-93.

- Imeh, U., and Khokhar, S. (2002). Distribution of conjugated and free phenols in fruits: Antioxidant activity and cultivar variations. *Journal of Agricultural and Food Chemistry* **50**, 6301-6306.
- Islam Sariful, M., Islam Saiful, M., and Kabir Fazlul, A. H. M. (2001). Effect of postharvest treatments with some coating materials on the shelf life and quality of banana. *Pakistan Journal of Biological Sciences* **4**, 1149-1152.
- Israeli, Y., and Lahav, E. (1986). Banana. *CRC Handbook of Fruit Set and Development*, 45-73.
- Jain, N., Dhawan, K., Malhotra, S., and Singh, R. (2003). Biochemistry of fruit ripening of guava (*Psidium guajava* L.): Compositional and enzymatic changes. *Plant Foods for Human Nutrition* **58**, 309-315.
- Javanmardi, J., and Kubota, C. (2006). Variation of lycopene, antioxidant activity, total soluble solids and weight loss of tomato during postharvest storage. *Postharvest Biology and Technology* **41**, 151-155.
- Jha, S. N., and Matsuoka, T. (2004). Changes in electrical resistance of eggplant with gloss, weight and storage period. *Biosystems Engineering* **87**, 119-123.
- Jimenez-Cuesta, M., Cuquerella, J., and Martinez-Javega, J. M. (1981). Determination of a color index for citrus fruit degreening. *Proceedings of the International Society of Citriculture* **2**, 750-753.
- Jimenez-Escrig, A., Rincon, M., Pulido, R., and Saura-Calixto, F. (2001). Guava fruit (*Psidium guajava* L.) as a new source of antioxidant dietary fiber. *Journal of Agricultural and Food Chemistry* **49**, 5489-5493.
- Jordan, R. B., Walton, E. F., Klages, K. U., and Seelye, R. J. (2000). Postharvest fruit density as an indicator of dry matter and ripened soluble solids of kiwifruit. *Postharvest Biology and Technology* **20**, 163-173.
- Joseph, K., and Aworh, O. C. (1991). Composition, sensory quality and respiration during ripening and storage of edible wild mango (*Irvingia gabonensis*). *International Journal of Food Science and Technology* **26**, 337-342.
- Kader, F., Irmouli, M., Nicolas, J. P., and Metche, M. (2002). Involvement of blueberry peroxidase in the mechanisms of anthocyanin degradation in blueberry juice. *Journal of Food Science* **67**, 910-915.
- Kahkonen, M. P., Hopia, A. I., Vuorela, H. J., Rauha, J. P., Pihlaja, K., Kujala, T. S., and Heinonen, M. (1999). Antioxidant activity of plant extracts containing phenolic compounds. *Journal of Agricultural and Food Chemistry* **47**, 3954-3962.
- Kalt, W., Forney, C. F., Martin, A., and Prior, R. L. (1999). Antioxidant capacity, vitamin C, phenolics, and anthocyanins after fresh storage of small fruits. *Journal of Agricultural and Food Chemistry* **47**, 4638-4644.
- Kalt, W., and McDonald, J. E. (1996). Chemical composition of lowbush blueberry cultivars. *Journal of the American Society for Horticultural Science* **121**, 142-146.

- Kalt, W., Prange, R. K., and Lidster, P. D. (1993). Postharvest color development of strawberries: Influence of maturity, temperature and light. *Canadian Journal of Plant Science* **73**, 541-548.
- Kanellis, A. K., Solomos, T., Mehta, A. M., and Mattoo, A. K. (1989). Decreased cellulase activity in avocado fruit subjected to 2.5% O₂ correlate: With lower cellulase protein and gene transcript levels. *Plant and Cell Physiology* **30**, 817-823.
- Kang, H.-M., Park, K.-W., and Saltveit, M. E. (2002). Elevated growing temperatures during the day improve the postharvest chilling tolerance of greenhouse-grown cucumber (*Cucumis sativus*) fruit. *Postharvest Biology and Technology* **24**, 49-57.
- Kataoka, I., Kubo, Y., Sugiura, A., and Tomana, T. (1983). Changes in L-phenylalanine ammonia-lyase activity and anthocyanin synthesis during berry ripening of three grape cultivars. *Journal of the Japanese Society for Horticultural Science* **52**, 273-279.
- Kays, S. J. (1999). Preharvest factors affecting appearance. *Postharvest Biology and Technology* **15**, 233-247.
- Kelebek, H., Canbas, A., and Selli, S. (2008). Determination of phenolic composition and antioxidant capacity of blood orange juices obtained from cvs. Moro and Sanguinello (*Citrus sinensis* (L.) Osbeck) grown in Turkey. *Food Chemistry* **107**, 1710-1716.
- Kim, D.-O., Jeong, S. W., and Lee, C. Y. (2003). Antioxidant capacity of phenolic phytochemicals from various cultivars of plums. *Food Chemistry* **81**, 321-326.
- Kim, H., and Keeney, P. G. (1984). (-) Epicatechin content in fermented and unfermented cocoa beans. *Journal of Agricultural and Food Chemistry* **47**, 3693-3701.
- King, K. (1990). Partial characterization of the *in situ* activity of pectinesterase in Bramley apple. *International Journal of Food Science & Technology* **25**, 188-197.
- Kondo, S., Kittikorn, M., and Kanlayanarat, S. (2005). Preharvest antioxidant activities of tropical fruit and the effect of low temperature storage on antioxidants and jasmonates. *Postharvest Biology and Technology* **36**, 309-318.
- Krings, U., and Berger, R. G. (2001). Antioxidant activity of some roasted foods. *Food Chemistry* **72**, 223-229.
- Kulkarni, A. P., and Aradhya, S. M. (2005). Chemical changes and antioxidant activity in pomegranate arils during fruit development. *Food Chemistry* **93**, 319-324.
- Kulkarni, A. P., Policegoudra, R. S., and Aradhya, S. M. (2007). Chemical composition and antioxidant activity of sapota (*Achras sapota* Linn.) fruit. *Journal of Food Biochemistry* **31**, 399-414.
- Ladaniya, M. S., Singh, S., and Wadhawan, A. K. (2003). Response of 'Nagpur' mandarin, 'Mosambi' sweet orange and 'Kagzi' acid lime to gamma radiation. *Radiation Physics and Chemistry* **67**, 665-675.
- Lakshminarayana, S. (1980). Mango. *Tropical and Subtropical Fruits*, 184-257.

- Lata, B., Przeradzka, M., and Binkowska, M. (2005). Great differences in antioxidant properties exist between 56 apple cultivars and vegetation seasons. *Journal of Agricultural and Food Chemistry* **53**, 8970-8978.
- Lattanzio, V., Di Venere, D., Linsalata, V., Bertolini, P., Ippolito, A., and Salerno, M. (2001). Low temperature metabolism of apple phenolics and quiescence of *Phlyctaena vagabunda*. *Journal of Agricultural and Food Chemistry* **49**, 5817-5821.
- Le Marchand, L. (2002). Cancer preventive effects of flavonoids - A review. *Biomedicine and Pharmacotherapy* **56**, 296-301.
- Lee, M. W., Tanaka, T., Nonaka, G. I., and Nishioka, I. (1992). Dimeric ellagitannins from *Alnus japonica*. *Phytochemistry* **31**, 2835-2839.
- Lee, Y., Howard, L. R., and Villalon, B. (1995). Flavonoids and antioxidant activity of fresh pepper (*Capsicum annuum*) cultivars. *Journal of Food Science* **60**, 473-476.
- Leonardi, C., Ambrosino, P., Esposito, F., and Fogliano, V. (2000). Antioxidative activity and carotenoid and tomatine contents in different typologies of fresh consumption tomatoes. *Journal of Agricultural and Food Chemistry* **48**, 4723-4727.
- Leong, L. P., and Shui, G. (2002). An investigation of antioxidant capacity of fruits in Singapore markets. *Food Chemistry* **76**, 69-75.
- Lim, Y. Y., Lim, T. T., and Tee, J. J. (2006). Antioxidant properties of guava fruit: comparison with some local fruits. *Sunway Academic Journal* **3**, 9-20.
- Lister, C. E., Lancaster, J. E., and Walker, J. R. L. (1996). Developmental changes in enzymes of flavonoid biosynthesis in the skins of red and green apple cultivars. *Journal of the Science of Food and Agriculture* **71**, 313-320.
- Liu, R., Ye, M., Guo, H., Bi, K., and Guo, D. A. (2005). Liquid chromatography/electrospray ionization mass spectrometry for the characterization of twenty-three flavonoids in the extract of *Dalbergia odorifera*. *Rapid Communications in Mass Spectrometry* **19**, 1557-1565.
- Llorach, R., Espin, J. C., Tomas-Barberan, F. A., and Ferreres, F. (2002). Artichoke (*Cynara scolymus* L.) Byproducts as a potential source of health-promoting antioxidant phenolics. *Journal of Agricultural and Food Chemistry* **50**, 3458-3464.
- Lu, R. (2004). Multispectral imaging for predicting firmness and soluble solids content of apple fruit. *Postharvest Biology and Technology* **31**, 147-157.
- Luchsinger, L. E., and Walsh, C. S. (1993). Changes in ethylene rate and ground color in peaches (cv. Red Haven and Marqueen) and nectarines (cv. Fantasia) during maturation and ripening. *Acta horticulturae* **343**, 70-72.
- Luo, W., Zhao, M., Yang, B., Shen, G., and Rao, G. (2009). Identification of bioactive compounds in *Phyllanthus emblica* L. fruit and their free radical scavenging activities. *Food Chemistry* **114**, 499-504.
- Luximon-Ramma, A., Baborun, T., and Crozier, A. (2003). Antioxidant actions and phenolic and vitamin C contents of common Mauritian exotic fruits. *Journal of the Science of Food and Agriculture* **83**, 496-502.

- Macheix, J. J., Fleuriet, A., and Billot, J. (1990). The main phenolics of fruits. *Fruit Phenolics*, 1-98.
- Maffei, F., Tarozzi, A., Carbone, F., Marchesi, A., Hrelia, S., Angeloni, C., Cantelli Forti, G., and Hrelia, P. (2007). Relevance of apple consumption for protection against oxidative damage induced by hydrogen peroxide in human lymphocytes. *British Journal of Nutrition* **97**, 921-927.
- Maisuthisakul, P., Pongsawatmanit, R., and Gordon, M. H. (2007). Characterization of the phytochemicals and the antioxidant properties of extracts from Teaw (*Cratoxylum formosum* Dyer.). *Food Chemistry* **100**, 1620-1629.
- Manach, C., Scalbert, A., Morand, C., Remesy, C., and Jimenez, L. (2004). Polyphenols: Food sources and bioavailability. *American Journal of Clinical Nutrition* **79**, 727-747.
- Maneenuam, T., Ketsa, S., and van Doorn, W. G. (2007). High oxygen levels promote peel spotting in banana fruit. *Postharvest Biology and Technology* **43**, 128-132.
- Marinova, D., Ribarova, F., and Atanassova, M. (2005). Total phenolics and total flavonoids in Bulgarian fruits and vegetables. *Journal of the University of Chemical Technology and Metallurgy* **40**, 255-260.
- Marnett, L. J. (2000). Oxyradicals and DNA damage. *Carcinogenesis* **21**, 361-370.
- Martha-Estrella, G.-P., Niokhor, D. P., and Stevanovic, T. (2008). Comparative study of antioxidant capacity of yellow birch twigs extracts at ambient and high temperatures. *Food Chemistry* **107**, 344-351.
- Mattoo, R. L. (1969). Further observations on colorimetric determination of protein in plant tissues. *Indian journal of biochemistry* **6**, 98-99.
- Maurya, R., and Yadav, P. P. (2005). Furanoflavonoids: An overview. *Natural Product Reports* **22**, 400-424.
- Mayer, A. M., and Harel, E. (1979). Polyphenol oxidases in plants. *Phytochemistry* **18**, 193-215.
- Mayo, J. C., Tan, D. X., Sainz, R. M., Lopez-Burillo, S., and Reiter, R. J. (2003). Oxidative damage to catalase induced by peroxyl radicals: Functional protection by melatonin and other antioxidants. *Free Radical Research* **37**, 543-553.
- Medlicott, A. P., N'Diaya, M., and Sigrist, J. M. (1990). Harvest maturity and concentration and exposure time to acetylene influence initiation of ripening in mangos. *Journal of the American Society for Horticultural Science* **115**, 426-430.
- Melgarejo, P., Salazar, D. M., and Artés, F. (2000). Organic acids and sugars composition of harvested pomegranate fruits. *European Food Research and Technology* **211**, 185-190.
- Mendoza, J., and Wills, R. B. H. (1984). Mango; Fruit development. *Postharvest Physiology and Marketing in ASEAN*, 21-38.

- Mercado-Silva, E., Benito-Bautista, P., and De los Angeles Garcia-Velasco, M. (1998). Fruit development, harvest index and ripening changes of guavas produced in central Mexico. *Postharvest Biology and Technology* **13**, 143-150.
- Miller, N. J., and Rice-Evans, C. A. (1997). Factors influencing the antioxidant activity determined by the ABTS radical cation assay. *Free Radical Research* **26**, 195-199.
- Mitchell, F. G. (1987). Preparing peaches and nectarines for export marketing. *The Orchardist of New Zealand* **60**, 150-152.
- Mitchell, F. G., Mayer, G., and Biasi, W. (1991). Effect of harvest maturity on storage performance of 'Hayward' kiwifruit. *Acta horticulturae* **297**, 617-625.
- Mizrach, A. (2000). Determination of avocado and mango fruit properties by ultrasonic technique. *Ultrasonics* **38**, 717-722.
- Mo, Y., Gong, D., Liang, G., Han, R., Xie, J., and Li, W. (2008). Enhanced preservation effects of sugar apple fruits by salicylic acid treatment during post-harvest storage. *Journal of the Science of Food and Agriculture* **88**, 2693-2699.
- Mokbel, M. S., and Hashinaga, F. (2005). Antibacterial and antioxidant activities of banana (Musa, AAA cv. Cavendish) fruits peel. *American Journal of Biochemistry and Biotechnology* **1**, 125-131.
- Molan, A. L., De, S., and Meagher, L. (2009). Antioxidant activity and polyphenol content of green tea flavan-3-ols and oligomeric proanthocyanidins. *International Journal of Food Sciences and Nutrition* **60**, 497-506.
- Molyneux, P. (2004). The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin J. Sci. Technol.* **26**, 211-219.
- Mondal, K., Sharma, N. S., Malhotra, S. P., Dhawan, K., and Singh, R. (2004). Antioxidant systems in ripening tomato fruits. *Biologia Plantarum* **48**, 49-53.
- Moneruzzaman, K. M., Al-Saif, A. M., Alebidi, A. I., Hossain, A. B. M. S., Normaniza, O., and Nasrulhaq Boyce, A. (2011). An evaluation of the nutritional quality evaluation of three cultivars of *Syzygium samarangense* under Malaysian conditions. *African Journal of Agricultural Research* **6**, 545-552.
- Morton, J. (1987a). Cashew Apple. *Fruits of Warm Climates*, 239-240.
- Morton, J. (1987b). Kei-apple. *Fruits of Warm Climates*, 315-319.
- Morton, J. (1987c). Pineapple. *Fruits of Warm Climates*, 18-28.
- Nair, H., and Tung, H. F. (1980). Investigations of cut flower longevity of *Oncidium flexuosum* x *Oncidium sphacelatum*. *Proceedings of the Third ASEAN Orchid Congress*, 85-95.
- Namiki, M. (1990). Antioxidants/antimutagens in food. *Critical Reviews in Food Science and Nutrition* **29**, 273-300.
- Neto, C. P., Seca, A., Nunes, A. M., Coimbra, M. A., Domingues, F., Evtuguin, D., Silvestre, A., and Cavaleiro, J. A. S. (1997). Variations in chemical composition and

structure of macromolecular components in different morphological regions and maturity stages of *Arundo donax*. *Industrial Crops and Products* **6**, 51-58.

Nguyen, T. B. T., Ketsa, S., and Van Doorn, W. G. (2003). Relationship between browning and the activities of polyphenol oxidase and phenylalanine ammonia lyase in banana peel during low temperature storage. *Postharvest Biology and Technology* **30**, 187-193.

Ninfali, P., Mea, G., Giorgini, S., Rocchi, M., and Bacchiocca, M. (2005). Antioxidant capacity of vegetables, spices and dressings relevant to nutrition. *British Journal of Nutrition* **93**, 257-266.

Obando-Ulloa, J. M., Jowkar, M. M., Moreno, E., Souiri, M. K., Martinez, J. A., Bueso, M. C., Monforte, A. J., and Fernandez-Trujillo, J. P. (2009). Discrimination of climacteric and non-climacteric melon fruit at harvest or at the senescence stage by quality traits. *Journal of the Science of Food and Agriculture* **89**, 1743-1753.

Olmo, M., Nadas, A., and García, J. M. (2000). Nondestructive methods to evaluate maturity level of oranges. *Journal of Food Science* **65**, 365-369.

Ong, B. T., Nazimah, S. A. H., Osman, A., Quek, S. Y., Voon, Y. Y., Hashim, D. M., Chew, P. M., and Kong, Y. W. (2006). Chemical and flavour changes in jackfruit (*Artocarpus heterophyllus* Lam.) cultivar J3 during ripening. *Postharvest Biology and Technology* **40**, 279-286.

Orak, H. H. (2006). Total antioxidant activities, phenolics, anthocyanins, polyphenoloxidase activities and its correlation of some important red wine grape varieties which are grown in Turkey. *Electronic Journal of Polish Agricultural Universities* **9**, 8.

Othman, A., Ismail, A., Abdul Ghani, N., and Adenan, I. (2007). Antioxidant capacity and phenolic content of cocoa beans. *Food Chemistry* **100**, 1523-1530.

Ou, B., Hampsch-Woodill, M., and Prior, R. L. (2001). Development and validation of an improved oxygen radical absorbance capacity assay using fluorescein as the fluorescent probe. *Journal of Agricultural and Food Chemistry* **49**, 4619-4626.

Peacock, B. C., Murray, C., Kosiyachinda, S., Kosittrakul, M., and Tansiriyakul, S. (1986). Influence of harvest maturity of mangoes on storage potential and ripe fruit quality. *ASEAN Food Journal* **2**, 99-103.

Pech, J. C., and Latche, A. (1972). Activities of enzymes involved in sugar metabolism in Passe-Crassane pears during cold storage. *Journal of the Science of Food and Agriculture* **23**, 1499-1502.

Pedisic, S., Levaj, B., Dragovic-Uzelac, V., and Kos, K. (2007). Physicochemical composition, phenolic content and antioxidant activity of sour cherry cv. Marasca during ripening. *Agriculturae Conspectus Scientificus* **72**, 295-300.

Penza, M., Montani, C., Jeremic, M., Mazzoleni, G., Hsiao, W. L. W., Marra, M., Sharma, H., and Di Lorenzo, D. (2007). MAK-4 and -5 supplemented diet inhibits liver carcinogenesis in mice. *BMC Complementary and Alternative Medicine* **7**, 19.

- Periago, M. J., Garcia-Alonso, J., Jacob, K., Olivares, A. B., Bernal, M. J., and Iniesta, M. D. (2008). Bioactive compounds, folates and antioxidant properties of tomatoes (*Lycopersicon esculentum*) during vine ripening. *International Journal of Food Sciences and Nutrition* **12**, 1-15.
- Perkins-Veazie, P., Collins, J. K., and Clark, J. R. (1996). Cultivar and maturity affect postharvest quality of fruit from erect blackberries. *HortScience* **31**, 258-261.
- Pietta, P. G. (2000). Flavonoids as antioxidants. *Journal of Natural Products* **63**, 1035-1042.
- Pigram, C. J., and Panggabean, H. (1984). Rifting of the northern margin of the Australian continent and the origin of some microcontinents in Eastern Indonesia. *Tectonophysics* **107**, 331-353.
- Pinheiro, S. C. F., and Almeida, D. P. F. (2008). Modulation of tomato pericarp firmness through pH and calcium: Implications for the texture of fresh-cut fruit. *Postharvest Biology and Technology* **47**, 119-125.
- Podsadek, A. (2007). Natural antioxidants and antioxidant capacity of Brassica vegetables: A review. *LWT - Food Science and Technology* **40**, 1-11.
- Porat, R., Lers, A., Dori, S., Cohen, L., Weiss, B., Daus, A., Wilson, C. L., and Droby, S. (1999a). Induction of chitinase and β -1,3-endoglucanase proteins by UV irradiation and wounding in grapefruit peel tissue. *Phytoparasitica* **27**, 233-238.
- Porat, R., Weiss, B., Cohen, L., Daus, A., Goren, R., and Droby, S. (1999b). Effects of ethylene and 1-methylcyclopropene on the postharvest qualities of 'Shamouti' oranges. *Postharvest Biology and Technology* **15**, 155-163.
- Proteggente, A. R., Pannala, A. S., Paganga, G., Van Buren, L., Wagner, E., Wiseman, S., Van De Put, F., Dacombe, C., and Rice-Evans, C. A. (2002). The antioxidant activity of regularly consumed fruit and vegetables reflects their phenolic and vitamin C composition. *Free Radical Research* **36**, 217-233.
- Prusky, D., Wattad, C., and Kobiler, I. (1996). Effect of ethylene on activation of lesion development from quiescent infections of *Colletotrichum gloeosporioides* in avocado fruits. *Molecular Plant-Microbe Interactions* **9**, 864-868.
- Quintana, E. G., Nanthachai, P., Hiranpradit, H., Mendoza Jr, D. B., and Ketsa, S. (1984). Changes in mango during growth and maturation. Growth and development of mango. *Mango: Fruit Development, Postharvest Physiology and Marketing in ASEAN*, 23-24.
- Rahman, A. K. M. M., Huq, E., Mian, A. J., and Chesson, A. (1995). Microscopic and chemical changes occurring during the ripening of two forms of jackfruit (*Artocarpus heterophyllus* L.). *Food Chemistry* **52**, 405-410.
- Ramana, K. V. R., Seity, G. R., Moorthy, N. V. N., Saroja, S., and Manjunadaswamy, A. M. (1979). Effect of ethephen, benomyl, thiabendazole and wax on colour and shelf life of Kinnow mandarins. *Tropical Science* **21**, 265-272.

- Rambla, F. J., Garrigues, S., and de la Guardia, M. (1997). PLS-NIR determination of total sugar, glucose, fructose and sucrose in aqueous solutions of fruit juices. *Analytica Chimica Acta* **344**, 41-53.
- Raven, P. H., Evert, R. F., and Eichhorn, S. E. (1992). *Biology of Plants. Fifth Edition*, Worth Publishers New York:, 638.
- Re, R., Pellegrini, N., Proteggente, A., Pannala, A., Yang, M., and Rice-Evans, C. (1999). Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radical Biology and Medicine* **26**, 1231-1237.
- Reaves, R. M. (1959). Histological and histochemical changes in the developing and ripening peaches. *American Journal of Botany* **46**, 214-248.
- Rees, T., WL Dixon, CJ Pollock, and F. Franks (1981). Low temperature sweetening of higher plants. In: J. Friend & MJC Rhodes (eds.): Recent Advances in the Biochemistry of Fruits and Vegetables. *Academic, Press, London, New York:*, 41-60.
- Renaud, S. C., Gueguen, R., Schenker, J., and D'Houtaud, A. (1998). Alcohol and mortality in middle-aged men from eastern france. *Epidemiology* **9**, 184-188.
- Resurreccion-Magno, M. H. C., Villasenor, I. M., Harada, N., and Monde, K. (2005). Antihyperglycaemic flavonoids from *Syzygium samarangense* (Blume) Merr. and Perry. *Phytotherapy Research* **19**, 246-251.
- Rexova-Benkova, L., and Markovic, O. (1976). Pectic Enzymes. *Advances in Carbohydrate Chemistry and Biochemistry* **33**, 323-385.
- Ribeiro, S. M. R., Queiroz, J. H., Queiroz, M. E. L. R., Campos, F. M., and Sant'ana, H. M. P. (2007). Antioxidant in mango (*Mangifera indica* L.) Pulp. *Plant Foods for Human Nutrition* **62**, 13-17.
- Rice-Evans, C. A., Miller, N. J., Bolwell, P. G., Bramley, P. M., and Pridham, J. B. (1995). The relative antioxidant activities of plant-derived polyphenolic flavonoids. *Free Radical Research* **22**, 375-383.
- Rice-Evans, C. A., Miller, N. J., and Paganga, G. (1996). Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology and Medicine* **20**, 933-956.
- Righetto, A. M., Netto, F. M., and Carraro, F. (2005). Chemical composition and antioxidant activity of juices from mature and immature acerola (*Malpighia emarginata* DC). *Food Science and Technology International* **11**, 315-321.
- Robb, D. A. (1984). Tyrosinase. *Copper Proteins and Copper Enzymes* **2**, 207-241.
- Robbins, R. J. (2003). Phenolic acids in foods: An overview of analytical methodology. *Journal of Agricultural and Food Chemistry* **51**, 2866-2887.
- Roberta, R., Nicoletta, P., Anna, P., Ananth, P., Min, Y., and Catherine, R. E. (1999). Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radical Biology and Medicine* **26**, 1231-1237.

- Robles-Sanchez, M., Gorinstein, S., Martin-Belloso, O., Astiazaran-Garca, H., Gonzalez-Aguilar, G., and Cruz-Valenzuela, R. (2007). Minimal processing of tropical fruits: Antioxidant potential and its impact on human health. *Frutos tropicales manimamente procesados: Potencial antioxidante y su impacto en la salud* **32**, 227-232.
- Roe, B., and Bruemmer, J. H. (1981). Changes in pectic substances and enzymes during ripening and storage of "Keitt" mangos. *Journal of Food Science* **46**, 186-189.
- Rojo, C., Álvarez-Figueroa, M. J., Soto, M., Cañete, A., Pessoa-Mahana, D., and López-Alarcón, C. (2009). Scavenging activity of diclofenac. Interaction with ABTS radical cation and peroxy radicals. *Journal of the Chilean Chemical Society* **54**, 58-62.
- Ross, S. A., ElSohly, M. A., Sultana, G. N. N., Mehmedic, Z., Hossain, C. F., and Chandra, S. (2005). Flavonoid glycosides and cannabinoids from the pollen of *Cannabis sativa* L. *Phytochemical Analysis* **16**, 45-48.
- Rossiter, K. L., Young, H., Walker, S. B., Miller, M., and Dawson, D. M. (2000). The effects of sugars and acids on consumer acceptability of kiwifruit. *Journal of Sensory Studies* **15**, 241-250.
- Sakai, T., Sakamoto, T., Hallaert, J., and Vandamme, E. J. (1993). Pectin, pectinase, and protopectinase: Production, properties, and applications. *Advances in Applied Microbiology* **39**, 213-294.
- Sakakibara, H., Honda, Y., Nakagawa, S., Ashida, H., and Kanazawa, K. (2002). Simultaneous determination of all polyphenols in vegetables, fruits, and teas. *Journal of Agricultural and Food Chemistry* **51**, 571-581.
- Sanchez-Ferrer, A., Bru, R., and Garcia-Carmona, F. (1989). Novel procedure for extraction of a latent grape polyphenoloxidase using temperature-induced phase separation in Triton X-114. *Plant Physiology* **91**, 1481-1487.
- Sanchez-Moreno, C., A. Larrauri, J., and Saura-Calixto, F. (1999). Free radical scavenging capacity and inhibition of lipid oxidation of wines, grape juices and related polyphenolic constituents. *Food Research International* **32**, 407-412.
- Seeram, N. P., Adams, L. S., Zhang, Y., Lee, R., Sand, D., Scheuller, H. S., and Heber, D. (2006). Blackberry, black raspberry, blueberry, cranberry, red raspberry, and strawberry extracts inhibit growth and stimulate apoptosis of human cancer cells in vitro. *Journal of Agricultural and Food Chemistry* **54**, 9329-9339.
- Seymour, G. B., and Gross, K. C. (1996). Cell wall disassembly and fruit softening. *Postharvest News and Information* **7**, 45N-52N.
- Shahidi, F., and Naczk, M. (1995). Food phenolics sources chemistry effects applications. *Lancaster/Basel: Technomic*, 109-158.
- Sharaf, A., and El-Saadany, S. S. (1987). Biochemical studies on guava fruits during different maturity stages. *Chemie, Mikrobiologie, Technologie der Lebensmittel* **10**, 145-149.
- Sheptovitsky, Y. G., and Brudvig, G. W. (1996). Isolation and characterization of spinach photosystem II membrane-associated catalase and polyphenol oxidase. *Biochemistry* **35**, 16255-16263.

- Shewfelt, R. L. (1993). Measuring quality and maturity. *Postharvest Handling: A Systems Approach(Food Science and Technology)*, 461-477.
- Shewfelt, R. L., and Prussia, S. E. (1993). Challenges in handling fresh fruits and vegetables. *Postharvest Handling: A System Approach(Food Science and Technology)*, 9-23.
- Shin, Y. S., Park, S. D., and Kim, J. H. (2007). Influence of pollination methods on fruit development and sugar contents of oriental melon (*Cucumis melo* L. cv. Sagyejeol-Ggul). *Scientia Horticulturae* **112**, 388-392.
- Shu, Z. H., Liaw, S. C., Lin, H. L., and Lee, K. C. (1998). Physical characteristics and organic compositional changes in developing wax apple fruits. *Journal of the Chinese Society for Horticultural Science* **44**, 491-501.
- Shu, Z. H., Meon, Z., Tirtawinata, R., and Thanarut, C. (2008). Wax apple production in selected tropical asian countries. *Acta Horticulturae* **773**, 161-164.
- Silva, M. M., Santos, M. R., Caroso, G., Rocha, R., Justino, G., and Mira, L. (2002). Structure-antioxidant activity relationships of flavonoids: A re-examination. *Free Radical Research* **36**, 1219-1227.
- Singh, B., and Bhat, T. K. (2003). Potential therapeutic applications of some antinutritional plant secondary metabolites. *Journal of Agricultural and Food Chemistry* **51**, 5579-5597.
- Singh, K. K., and Reddy, B. S. (2006). Post-harvest physico-mechanical properties of orange peel and fruit. *Journal of Food Engineering* **73**, 112-120.
- Singh, R. P., Dey, S., Bhoi, S., Sun, D., Cervone, G., and Kafatos, M. (2006). Anomalous increase of chlorophyll concentrations associated with earthquakes. *Advances in Space Research* **37**, 671-680.
- Singleton, V. L., and Esau, P. (1969). Phenolic substances in grapes and wine, and their significance. *Advances in food research. Supplement* **1**, 1-261.
- Singleton, V. L., and Rossi, J. A., Jr. (1965). Colorimetry of Total Phenolics with Phosphomolybdic-Phosphotungstic Acid Reagents. *American Journal of Enology and Viticulture* **16**, 144-158.
- Smith, D. L., Stommel, J. R., Fung, R. W. M., Wang, C. Y., and Whitaker, B. D. (2006). Influence of cultivar and harvest method on postharvest storage quality of pepper (*Capsicum annuum* L.) fruit. *Postharvest Biology and Technology* **42**, 243-247.
- Srivastava, R., Shaw, A. K., and Kulshreshtha, D. K. (1995). Triterpenoids and chalcone from *Syzygium samarangense*. *Phytochemistry* **38**, 687-689.
- Swain, T., and Hillis, W. E. (1959). The phenolic constituents of *Prunus domestica*. I. - The quantitative analysis of phenolic constituents. *Journal of the Science of Food and Agriculture* **10**, 63-68.
- Tabart, J., Kevers, C., Pincemail, J., Defraigne, J. O., and Dommes, J. (2009). Comparative antioxidant capacities of phenolic compounds measured by various tests. *Food Chemistry* **113**, 1226-1233.

- Tang, X., and Tigerstedt, P. M. A. (2001). Variation of physical and chemical characters within an elite sea buckthorn (*Hippophae rhamnoides* L.) breeding population. *Scientia Horticulturae* **88**, 203-214.
- Temple, N. J. (2000). Antioxidants and disease: More questions than answers. *Nutrition Research* **20**, 449-459.
- Thaipong, K., Boonprakob, U., Crosby, K., Cisneros-Zevallos, L., and Hawkins Byrne, D. (2006). Comparison of ABTS, DPPH, FRAP, and ORAC assays for estimating antioxidant activity from guava fruit extracts. *Journal of Food Composition and Analysis* **19**, 669-675.
- Tian, D. Y., and Yang, R. H. (2004). Studies on the relation between the content of total phenol and the antioxidant activity of fruits and vegetables. *Chemistry World* **2**, 70-73.
- Tomas-Barberan, F. A., Cantos, E., and Ferreres, F. (2000). UV-irradiation as a method to increase phenolics content and improve quality and health-promoting properties of harvested fruits. *Polyphenols Communications* **2000**, 487-488.
- Toor, R. K., and Savage, G. P. (2006). Changes in major antioxidant components of tomatoes during post-harvest storage. *Food Chemistry* **99**, 724-727.
- Tosun, I., Ustun, N. S., and Tekguler, B. (2008). Physical and chemical changes during ripening of blackberry fruits. *Scientia Agrícola* **65**, 87-90.
- Trimble, V., Aschwanden, M. J., and Hansen, C. J. (2006). Astrophysics in 2005. *Publications of the Astronomical Society of the Pacific* **118**, 947-1047.
- Uchida, K. (2000). Role of reactive aldehyde in cardiovascular diseases. *Free Radical Biology and Medicine* **28**, 1685-1696.
- Vamos-Vigyazo, L., and Nadudvari-Markus, V. (1982). Enzymatic browning, polyphenol oxidase and peroxidase in pear cultivars. *Acta Alimentaria* **111**, 157-168.
- Vendrell, M., Dominguez-Puigjaner, E., and Llop-Tous, I. (2001). Climacteric versus non-climacteric physiology. *Acta Horticulturae* **553**, 345-349.
- Verheij, E. W. M., and Coronel, R. E. (1992). Edible fruits and nuts. *Plant Resources of South East Asia, PROSEA* **2**, 292-296.
- Villanueva, M. J., Tenorio, M. D., Esteban, M. A., and Mendoza, M. C. (2004). Compositional changes during ripening of two cultivars of muskmelon fruits. *Food Chemistry* **87**, 179-185.
- Vincent, H. K., Powers, S. K., Dirks, A. J., and Scarpace, P. J. (2001). Mechanism for obesity-induced increase in myocardial lipid peroxidation. *International Journal of Obesity* **25**, 378-388.
- Vursavus, K., Kelebek, H., and Selli, S. (2006). A study on some chemical and physico-mechanic properties of three sweet cherry varieties (*Prunus avium* L.) in Turkey. *Journal of Food Engineering* **74**, 568-575.
- Wang, H., Arakawa, O., and Motomura, Y. (2000). Influence of maturity and bagging on the relationship between anthocyanin accumulation and phenylalanine ammonia-

- lyase (PAL) activity in 'Jonathan' apples. *Postharvest Biology and Technology* **19**, 123-128.
- Wang, J. (2004). Mechanical properties of pear as a function of location and orientation. *International Journal of Food Properties* **7**, 155-164.
- Wang, M., Li, J., Rangarajan, M., Shao, Y., LaVoie, E. J., Huang, T.-C., and Ho, C.-T. (1998). Antioxidative phenolic compounds from sage (*Salvia officinalis*). *Journal of Agricultural and Food Chemistry* **46**, 4869-4873.
- Wang, S. Y., and Lin, H. S. (2000). Antioxidant activity in fruits and leaves of blackberry, raspberry, and strawberry varies with cultivar and developmental stage. *Journal of Agricultural and Food Chemistry* **48**, 140-146.
- Wang, S. Y., and Zheng, W. (2001). Effect of plant growth temperature on antioxidant capacity in strawberry. *Journal of Agricultural and Food Chemistry* **49**, 4977-4982.
- Wang, Z. F., Ying, T. J., Bao, B. L., and Huang, X. D. (2005). Characteristics of fruit ripening in tomato mutant epi. *Journal of Zhejiang University: Science* **6 B**, 502-507.
- Wangcharoen, W., and Morasuk, W. (2007). Antioxidant capacity and phenolic content of chilies. *Kasetsart Journal - Natural Science* **41**, 561-569.
- Whitaker, B. D., Klein, J. D., Conway, W. S., and Sam, C. E. (1997). Influence of prestorage heat and calcium treatments on lipid metabolism in [']Golden Delicious' apples. *Phytochemistry* **45**, 465-472.
- Wills, R. B. H., Lim, J. S. K., and Greenfield, H. (1984). Changes in chemical composition of 'Cavendish' banana (*Musa acuminata*) during ripening. *Journal of Food Biochemistry* **8**, 69-77.
- Wong, K. C., and Lai, F. Y. (1996). Volatile constituents from the fruits of four Syzygium species grown in Malaysia. *Flavour and Fragrance Journal* **11**, 61-66.
- Wrolstad, R. E., Aeree, T. E., Decker, E. A., Penner, M. H., Reid, D. S., Schwartz, S. J., Shoemaker, C. F., Smith, D. M., and Sporns, P. (2005). Pigments colorants flavors texture and bioactive food components. *Handbook of Food Analytical Chemistry*, 34-35.
- Yang, B., Zhao, M., Shi, J., Yang, N., and Jiang, Y. (2008). Effect of ultrasonic treatment on the recovery and DPPH radical scavenging activity of polysaccharides from longan fruit pericarp. *Food Chemistry* **106**, 685-690.
- Yu, L., Haley, S., Perret, J., Harris, M., Wilson, J., and Qian, M. (2002). Free radical scavenging properties of wheat extracts. *Journal of Agricultural and Food Chemistry* **50**, 1619-1624.
- Yu, L. L., Zhou, K. K., and Parry, J. (2005). Antioxidant properties of cold-pressed black caraway, carrot, cranberry, and hemp seed oils. *Food Chemistry* **91**, 723-729.
- Zhang, W., Li, X., Zheng, J., Wang, G., Sun, C., Ferguson, I., and Chen, K. (2008). Bioactive components and antioxidant capacity of Chinese bayberry (*Myrica rubra* Sieb. and Zucc.) fruit in relation to fruit maturity and postharvest storage. *European Food Research and Technology* **227**, 1091-1097.

Zheng, Y., Wang, C. Y., Wang, S. Y., and Zheng, W. (2003). Effect of high-oxygen atmospheres on blueberry phenolics, anthocyanins, and antioxidant capacity. *Journal of Agricultural and Food Chemistry* **51**, 7162-7169.

Zhou, T., Schneider, K. E., and Li, X.-Z. (2008). Development of biocontrol agents from food microbial isolates for controlling post-harvest peach brown rot caused by *Monilinia fructicola*. *International Journal of Food Microbiology* **126**, 180-185.